

# PLASTICIZER K1A CONC.

High-quality plasticizer for semi-dry concrete

---

## Product Description

PLASTICIZER K1A CONC. is used for the production of concrete elements from no-slump/semi-dry concrete.

## Mode of Action

PLASTICIZER K1A CONC. will reduce the surface tension of the gauging water and therefore improve wetting of the cement. Given the low w/c ratio, an exceptionally high grade of hydration is achieved.

When producing with two layers with a high sand content in the face mix, the bond with the back mix will be improved.

## Benefits:

- Increase in green and final strength
- Increase in density
- Reduced tendency to effloresce
- Intensified colors when pigments are used
- Smoother surfaces

## Dosing and Special Information

PLASTICIZER K1A CONC. should be added with the gauging water, however, it may also be dosed directly onto the aggregates.

Preliminary tests according to official national standards are always required before use!

Status: 01/14

## Technical Data

PLASTICIZER K1A CONC.	
Form	Fluid
Colour	Colorless to light yellow
Density	1.02 ± 0.02 g/cm <sup>3</sup>
pH-value	8.5 ± 1.0
Storage	Keep original containers closed, protect from excessive heat and frost.
Recommended Dosage	0.20–0.30 m.-% by cement mass

Physiological effect	May irritate skin and eyes; see SDS.
Shelf life	approx. 12 months in closed original containers

gcpat.uk | United Kingdom customer service: +44 (0) 1480 478421

We hope the information here will be helpful. It is based on data and knowledge considered to be true and accurate, and is offered for consideration, investigation and verification by the user, but we do not warrant the results to be obtained. Please read all statements, recommendations, and suggestions in conjunction with our conditions of sale, which apply to all goods supplied by us. No statement, recommendation, or suggestion is intended for any use that would infringe any patent, copyright, or other third party right.

PLASTICIZER K1A CONC is a trademark, which may be registered in the United States and/or other countries, of GCP Applied Technologies Inc. This trademark list has been compiled using available published information as of the publication date and may not accurately reflect current trademark ownership or status.

© Copyright 2016 GCP Applied Technologies Inc. All rights reserved.

GCP0082\_0217 PLASTICIZER K1A CONC\_DE-EN

This document is only current as of the last updated date stated below and is valid only for use in the United Kingdom. It is important that you always refer to the currently available information at the URL below to provide the most current product information at the time of use. Additional literature such as Contractor Manuals, Technical Bulletins, Detail Drawings and detailing recommendations and other relevant documents are also available on [www.gcpat.uk](http://www.gcpat.uk). Information found on other websites must not be relied upon, as they may not be up-to-date or applicable to the conditions in your location and we do not accept any responsibility for their content. If there are any conflicts or if you need more information, please contact GCP Customer Service.

Last Updated: 2025-05-13

[gcpat.uk/solutions/products/plasticizer-k1a-conc](http://gcpat.uk/solutions/products/plasticizer-k1a-conc)