

GRACE CONSTRUCTION & PACKAGING
GCP APPLIED TECHNOLOGIES

580/581 lpswich Road, Slough, Berkshire, SL1 4EQ, UK T: +44(0)1753 490000 E: uksales@gcpat.com W: www.gcpat.com Title:

	Notes.		
150 mm 300 mm B	All waterproofing details shown herein should be brought to the attention of the designer of the structure, who is responsible for the waterproofing and structural design and for being aware of all the factors in the structural design that may impact on the waterproofing details, and approved by them in writing. Final decisions and any recommendations must be approved by the designer		
= <u>ING</u> (1)	BS8102:2009 6.2.4 The need for continuity in the waterproofing protection should also be considered when selecting a type of protection. In most circumstances, the protection should be continuous.		
	For product installation this drawing is to be read in conjunction with all relevant product data sheets.		
	Successful partial external waterproofing of the pilecap is dependent on the waterproofing integrity of the structure below the level of external waterproofing.		
	The designer or person responsible for the waterproofing should satisfy themselves that water cannot enter the protected structure by bypassing the detailed GCP system.		
· · · · · · · · · · · · · · · · · · ·			
B			
<u>NG</u> (2)			
emarks of ed Technologies.	s. Rev: Date: Description:		
	Scale: NTS	Project No:	
	Date:		
	Drawn:	Drawing No.:	
	Checked:	PP15-0516.dwg PP15-0516.rvt	