

INTEGRITANK[®] waterproofing protects prominent waterside development

St. George Developments chooses spray applied waterproofing system



Project St. George Wharf, Riverside West, UK

Client St. George Developments

Authorised Contractor Stirling Lloyd Construction Ltd

(Waterproofing Applicator)

GCP Solutions INTEGRITANK® waterproofing system



Project

Building underground car parks in high-end developments

The INTEGRITANK [®]system has proven to be the waterproofing solution for the architects and developers of two major high profile new-build projects in what have become very fashionable areas of South London. St. George Wharf in Vauxhall and Riverside West in Wandsworth are prestigious developments of modern trend-setting apartments, shops, cafes, restaurants and other leisure facilities. The developments also incorporate underground car parks with concrete podium deck roofs, which have been subsequently landscaped to form a communal courtyard.



Protecting high-value assets

The architects for both projects set out to find a robust and effective waterproofing system that could be specified for the protection of the podium decks, not only for the decks themselves but also to combat water ingress and leakage that could damage the valuable cars parked below.



Delivering long-term waterproofing protection

The project team selected INTEGRITANK [®]system, a spray applied waterproofing solution developed by Stirling Lloyd (now GCP Applied Technologies).

Despite a number of trials of other sheet and membrane systems, the decision was taken to specify INTERITANK® for this project. A key deciding factor was simplified sealing and installation of the INTEGRITANK® system in critical areas, such as service entries and gully outlets.

The INTEGRITANK waterproofing system, with unique ESSELAC advanced resin technology, is BBA certified and ideal for waterproofing underground structures in both internal and external applications in accordance with BS 8102:1990. Using the system resulted in significant time savings. The areas where INTEGRITANK waterproofing had been applied could accept vehicular and foot traffic within one hour, unlike other systems that would have to be kept clear for up to seven days and required additional protective layers before trafficking.

Another important feature of INTEGRITANK waterproofing is its tolerance to moisture, humidity and low temperatures, enabling it to be applied at any time of the year. This, combined with its superior mechanical properties and onsite performance, means the INTEGRITANK system will provide long-term, effective protection in keeping with the high quality of these impressive developments.

Blue 360 [™] Total Business Advantage.

The power of GCP products, performance and people

gcpat.uk | United Kingdom customer service: +44 (0) 1480 478421

This document is only current as of the last updated date stated below and is valid only for use in the United Kingdom. It is important that you always refer to the currently available information at the URL below to provide the most current product information at the time of use. Additional literature such as Contractor Manuals, Technical Bulletins, Detail Drawings and detailing recommendations and other relevant documents are also available on www.gcpat.uk. Information found on other websites must not be relied upon, as they may not be up-to-date or applicable to the conditions in your location and we do not accept any responsibility for their content. If there are any conflicts or if you need more information, please contact GCP Customer Service.