

Utilising ADPRUFE®, UK Shopping Centre Opens On-Time

Integrally waterproof concrete elements make the UK shopping centre watertight.



Project Westfield Stratford City shopping centre

Owner Westfield Group

Engineer Robert Bird Group & Department Robert Bird Group & Robert

General Contractor PC Harrington

Applicator Quickseal (Volkerlaser)

GCP Solutions ADPRUFE® integrally waterproof concrete, PREPRUFE® waterproofing, BITUTHENE® waterproofing



The Overview

The Project

Located adjacent to the London Olympic Park, Westfield Stratford City shopping centre is one of the largest urban shopping centres in the UK and Europe.

This high profile commercial project for GCP Applied Technologies, involved elements of commercial building construction with over 1.5 million sq ft (139,354 m2) of retail space, tunnelling work for London Underground railways and public exposed terrace areas.

The UK shopping centre, owned by the Westfield Group, opened in September 2011.



"Preprufe® 300R is a unique membrane, consisting of a robust film of high density polyethylene (HDPE), impermeable to water, water vapour and gases, combined with a special multilaminar matrix."




The Challenge

The Challenge

The retail design specified Grade 4 waterproofing protection, with specific requirements for gas protection.

Design requirements were for habitable areas throughout the shopping centre, with considerable external surface areas for public access, together with elements of London Underground tunnel and box areas over the North Ticket Hall roof.

There were also commercial building pressures for the project to be completed in time for the 2011 opening. Many separate parties were involved, requiring close supervision by the GCP team.



The Solution

For the shopping centre, they used ADPRUFE®integrally waterproof concrete elements to simplify technical aspects, particularly around pile caps, which, in turn, helped to speed up the construction schedule for contractors.

PREPRUFE®300R and BITUTHENE®8000 waterproofing membranes were applied to the basement, slabs, walls, pile caps and external surfaces.

PREPRUFE [®] and BITUTHENE [®] membranes are fully and intimately bonded to the structural concrete providing the required grade of waterproofing barrier, and a fully waterproofed system. Both products are suitable for protecting against the effects of water, damp and gas penetration in a commercial building.



About PREPRUFE® and GCP

PREPRUFE ® 300R is a unique membrane, consisting of a robust film of high density polyethylene (HDPE), impermeable to water, water vapour and gases, combined with a special multilaminar matrix. This matrix on one side of the membrane develops a strong capacity for adhesion when loaded by the pressure of freshly poured concrete during the pouring and successive hardening phases.

GCP has a long established and strong relationship, built over a period of more than 25 years, with the consulting engineers and main and sub-contractors involved with the project. Team members worked together to achieve their aim of securing maximum business potential from the project and were supportive of their customers and each other throughout a complicated process.

Blue 360sm Total Business Advantage: The power of GCP products, performance and people.

gcpat.uk | United Kingdom customer service: +44 (0) 1480 478421

GCP Applied Technologies Inc., 2325 Lakeview Parkway, Alpharetta, GA 30009, USA

GCP Applied Technologies (UK) Ltd, 487-488 Ipswich Road, Slough, SL1 4EP

This document is only current as of the last updated date stated below and is valid only for use in the United Kingdom. It is important that you always refer to the currently available information at the URL below to provide the most current product information at the time of use. Additional literature such as Contractor Manuals, Technical Bulletins, Detail Drawings and detailing recommendations and other relevant documents are also available on www.gcpat.uk. Information found on other websites must not be relied upon, as they may not be up-to-date or applicable to the conditions in your location and we do not accept any responsibility for their content. If there are any conflicts or if you need more information, please contact GCP Customer Service.